

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	151	((cosine adj2 transform\$5) or dct) with ((non\$linear\$2) or nonlinear)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/18 11:52
L2	53	((cosine adj2 transform\$5) or dct) with ((non\$linear\$2) or nonlinear) with quantiz\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/18 11:55
L3	10	((cosine adj2 transform\$5) or dct) near2 ((non\$linear\$2) or nonlinear) with quantiz\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/18 11:56
L4	42	((transform\$5)) near2 ((non\$linear\$2) or nonlinear) with quantiz\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/18 12:01
L5	18	((transform\$5)) near2 (non\$linear\$2 or nonlinear2) with quantiz\$5 near2 (non\$linear\$2 or nonlinear\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/18 12:34
L6	3	(mathematical adj(transform\$5)) near2 (non\$linear\$2 or nonlinear2) near2 (non\$linear\$2 or nonlinear\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/18 12:34
L7	14	(mathematical adj(transform\$5)) near2 (non\$linear\$2 or nonlinear2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/18 12:40
L8	1	(mathematical adj(transform\$5)) near2 (non\$linear\$2 or nonlinear2) and dct	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/18 12:41

EAST Search History

L9	174	((transform\$5)) near2 (non\$linear\$2 or nonlinear2) and dct	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/18 12:41
L10	14	((transform\$5)) near2 (non\$linear\$2 or nonlinear2) with dct	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/18 12:43
L11	3014	((transform\$5)) near2 (non\$linear\$2 or nonlinear2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/18 12:44
L12	42	((transform\$5)) near2 (non\$linear\$2 or nonlinear2) with quantiz\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/18 12:49
L13	34	((transform\$5)) near2 (non\$linear\$2 or nonlinear2) same dct	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/18 12:49
L14	31	(zero with (least adj significant adj (bit or byte))) and ((dynamic adj range)) and (inverse near2 transform\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/18 13:50
L15	609	(zero with ((bit or byte))) and ((dynamic adj range)) and (inverse near2 transform\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/18 13:50
L16	3	(zero with ((bit or byte)))with ((quantiz\$5)) with(inverse near2 transform\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/18 13:51

EAST Search History

L17	23	(zero with ((bit or byte)))same ((quantiz\$5)) same(inverse near2 transform\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/18 13:51
S1	128784	(bit or bit\$rate) with conver\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/04 08:33
S2	65206	(bit or bit\$rate) with conver\$4 and (difference or subtract\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/04 08:33
S3	591	(bit or bit\$rate) with conver\$4 and ((difference or subtract\$4)with file)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/04 08:34
S4	103	(bit or bit\$rate) with conver\$4 and ((difference or subtract\$4)with file) and (dynamic near2 range)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/04 08:35
S5	1441	(bit or bit\$rate) with conver\$4 with (dynamic adj2 range)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/04 08:36
S6	194	(bit or bit\$rate) with conver\$4 with (dynamic adj2 range) and ((difference or subtract\$4) with (file or memory or stor\$4 or header))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/04 08:38
S7	71	(bit or bit\$rate) with reduc\$4 with (dynamic adj2 range) and ((difference or subtract\$4) with (file or memory or stor\$4 or header))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/04 08:41

EAST Search History

S8	18	(bit or bit\$rate) with reduc\$4 with (dynamic adj2 range) and ((difference or subtract\$4) with (file or memory or stor\$4 or header)) and ((inverse or reverse) with transform\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/04 09:05
S9	94	reduc\$4 with (dynamic adj2 range) and ((difference or subtract\$4) with (file or memory or stor\$4 or header)) and ((inverse or reverse) with transform\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/04 09:54
S10	98	reduc\$4 with ((dynamic adj2 range) or (color near2 gamut)) and ((difference or subtract\$4) with (file or memory or stor\$4 or header)) and ((inverse or reverse) with transform\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/04 09:57
S11	314	(reduc\$4 or limit\$4) with ((dynamic adj2 range) or (color near2 gamut)) and ((difference\$4 or subtract\$4) with (file or memory or stor\$4 or header)) and ((inverse or reverse) with transform\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/04 09:59
S12	106	(reduc\$4 or limit\$4) with ((dynamic adj2 range) or (color near2 gamut)) and (((difference\$4 or subtract\$4) with (file or memory or stor\$4 or header) same image)) and ((inverse or reverse) with transform\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/04 10:04
S13	112	(reduc\$4 or limit\$4 or narrow) with ((dynamic adj2 range) or (color near2 gamut)) and (((difference\$4 or subtract\$4) with (file or memory or stor\$4 or header) same image)) and ((inverse or reverse) with transform\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/04 10:06
S14	59	(reduc\$4 or limit\$4 or narrow) with ((dynamic adj2 range) or (color near2 gamut)) and (((differential or difference or subtract\$4) with (file or memory or stor\$4 or header) same image)) and ((inverse or reverse) with transform\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/04 10:45

EAST Search History

S15	460	(reduc\$4 with bit) and (((difference or difference or subtract\$4) with (file or memory or stor\$4 or header)same image)) and ((inverse or reverse) with transform\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/05 11:28
S16	1	("5444478").PN.	USPAT	OR	OFF	2006/05/05 11:28
S17	359	(difference or differential or subtract\$4) with (inverse\$4 near4 transform\$5) with (input or original) and quantiz\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/17 12:40
S18	191	(difference or differential or subtract\$4) with (inverse\$4 near4 transform\$5) with (input or original) and (quantiz\$5 with image)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/17 12:43
S19	49	(difference or differential or subtract\$4) with (inverse\$4 near4 transform\$5) with (input or original) and (dynamic near2 range)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/17 12:51
S20	9	(difference or differential or subtract\$4) with (inverse\$4 near4 transform\$5) with (input or original) with (stor\$4 or file of filed or filing or memory) and (dynamic near2 range)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/17 12:59
S21	538	(difference or differential or subtract\$4) with (inverse\$4 near4 transform\$5) with (summation or sum or summed or summing or add or adding or added)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/17 13:01
S22	66	(difference or differential or subtract\$4) with (inverse\$4 near4 transform\$5) with (summation or sum or summed or summing or add or adding or added) and (dynamic near4 range)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/17 13:02
S23	71	(difference or differential or subtract\$4) with (inverse\$4 near4 transform\$5) with (summation or sum or summed or summing or add or adding or added or adder) and (dynamic near4 range)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/17 13:03

EAST Search History

S24	7	(difference or differential or subtract\$4) with (inverse\$4 near4 transform\$5) with (summation or sum or summed or summing or add or adding or added or adder)with (reconstruct\$4 or reproduc\$5) and (dynamic near4 range)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/17 13:21
S25	164	(difference or differential or subtract\$4) with transform\$5 near2 circuit and (dynamic near4 range)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/17 13:24
S26	6	(difference or differential or subtract\$4) with transform\$5 near2 circuit with (dynamic near4 range)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/17 13:27
S27	18	(difference or differential or subtract\$4) with transform\$5 near2 circuit same (dynamic near4 range)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/17 13:28
S28	46	(difference or differential or subtract\$4) with transform\$5 near2 circuit with correspond\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/17 13:28
S29	1	(difference or differential or subtract\$4) with transform\$5 near2 circuit with correspond\$4 and (dynamic near2 range)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/17 13:29
S30	17	(difference or differential or subtract\$4) with transform\$5 near2 circuit with (correspond\$4 or select\$4 or match\$4 or choos\$4 or pick\$4) and (dynamic near2 range)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/17 13:29
S31	4	(difference or differential or subtract\$4) with (transform\$5 near2 circuit) near5 (correspond\$4 or select\$4 or match\$4 or choos\$4 or pick\$4) and (dynamic near2 range)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/17 13:30

EAST Search History

S32	5	(difference or differential or subtract\$4) with (transform\$5 near2 circuit) near5 (correspond\$4 or select\$4 or match\$4 or choos\$4 or pick\$4 or identif\$7) and (dynamic near2 range)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/17 13:31
S33	0	(transform\$5 near2 circuit) with (difference) with (file or header)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/17 13:32
S34	1	(transform\$5 near2 circuit) with (difference or differential) with (file or header)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/17 13:32
S35	127	(transform\$5 near2 circuit) with select\$4 with (differential or difference)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/17 13:33
S36	14	((transform\$5 near2 circuit)with (bit or (dynamic adj range))) with select\$4 with (differential or difference)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/17 13:35
S37	0	((transform\$5 near2 circuit)with (bit or (dynamic adj range))) with (identif\$7 or tag or pointer) with (differential or difference)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/17 13:36
S38	6	((transform\$5 near2 circuit))) with (identif\$7 or tag or pointer) with (differential or difference)and (bit or (dynamic adj range)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/17 13:36
S39	1	((transform\$5 near2 circuit))) with (identif\$7 or tag or pointer) with (differential or difference)and ((bit with reduction) or (dynamic adj range)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/17 13:37

EAST Search History

S40	12	((transform\$5 near2 circuit))) with (identif\$7 or tag or pointer) and ((bit with reduction) or (dynamic adj range)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/17 13:40
S41	87	((transform\$5 near2 circuit))) with (select\$4) and ((bit with reduction) or (dynamic adj range)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/17 13:41
S42	138	((transform\$5 near2 circuit))) with (select\$4) and ((bit with reduc\$4) or ((dynamic adj range)with reduc\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/17 13:43
S43	49	((transform\$5 near2 circuit))) near4 (select\$4) and ((bit with reduc\$4) or ((dynamic adj range)with reduc\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/17 13:51
S44	45	((transform\$5 near2 circuit))) near4 (select\$4) and ((bit with reduc\$4) or ((dynamic adj range)with reduc\$4) and ((difference or subtract\$4)with transform\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/17 13:57
S45	3	((transform\$5 near2 circuit))) with (file or header) and ((bit with reduc\$4) or ((dynamic adj range)with reduc\$4) and ((difference or subtract\$4)with transform\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/17 14:02
S46	180	((circuit or processor))) with (file or header) with multiplex\$4 and ((bit with reduc\$4) or ((dynamic adj range)with reduc\$4) and ((difference or subtract\$4)with transform\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/17 14:03
S47	180	((circuit or processor))) with (file or header) with multiplex\$4 and ((bit with reduc\$4) or ((dynamic adj range)with reduc\$4) and ((difference or subtract\$4)with transform\$5) and image	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/17 14:04

EAST Search History

S48	3	transform\$5 with (file or header) with multiplex\$4 and ((bit with reduc\$4) or ((dynamic adj range)with reduc\$4)) and ((difference or subtract\$4)with transform\$5) and image	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/17 14:11
S49	0	transform\$5 with (file or header) with multiplex\$4 with (difference or subtract\$4) and ((bit with reduc\$4) or ((dynamic adj range)with reduc\$4)) and image	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/17 14:11
S50	10	transform\$5 with (file or header) with (difference or subtract\$4) and ((bit with reduc\$4) or ((dynamic adj range)with reduc\$4)) and image	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/17 14:13
S51	15	transform\$5 with (file or header) with (difference or subtract\$4 or residu\$2) and ((bit with reduc\$4) or ((dynamic adj range)with reduc\$4)) and image	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/17 14:53
S52	2807	lower with bit with zero	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/17 14:54
S53	1959	lower near4 bit with zero	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/17 14:54
S54	49	lower near4 bit with zero with reduc\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/17 14:55
S55	1	lower\$most near4 bit with zero with reduc\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/17 14:55

EAST Search History

S56	1	lower\$most near4 (bit or byte) with zero with reduc\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/17 14:56
S57	1	(lower\$most or lowermost) near4 (bit or byte) with zero with reduc\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/17 14:56
S58	5	(lower\$most or lowermost) near4 (bit or byte) with zero and (dynamic adj range)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/17 14:57
S59	46	adding near2 zero with (bit or byte) and (dynamic adj range)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/17 14:58
S60	20	adding near2 zero with (bit or byte) and ((dynamic adj range)with reduc\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/17 15:00
S61	47	(adding or insert\$4) near2 zero with (bit or byte) and ((dynamic adj range)with reduc\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/17 15:04
S62	48	(zero with (least adj significant adj (bit or byte))) and ((dynamic adj range)with reduc\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/17 15:07
S63	33	(zero with (least adj significant adj (bit or byte))) and ((dynamic adj range)with reduc\$4) and transform\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/17 15:07

EAST Search History

S64	6	(zero with (least adj significant adj (bit or byte))) and ((dynamic adj range)with reduc\$4) and (inverse near2 transform\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/18 13:40
-----	---	---	---	----	----	------------------

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L18	1761	382/166,167.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/18 14:55
L19	490	382/166.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/18 14:42
L20	1305	382/167.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/18 14:42
L21	685	382/251.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/18 14:42
L22	92	382/251.ccls. and residu\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/18 14:45
L23	48	382/251.ccls. and residu\$2 and (file or header)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/18 14:52
L24	19	382/251.ccls. and (residu\$2 or difference)with (file or header)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/18 14:53
L25	49957	382/166,167.ccls. (residu\$2 or differen\$4) with (file)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/18 14:55

EAST Search History

L26	81	382/166,167.ccls. and (residu\$2 or differen\$4) with (file)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/18 14:57
L27	14	382/166,167.ccls. and (residu\$2 or differen\$4) with (file) and (inverse with transform\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/18 14:57


[Home](#) | [Login](#) | [Logout](#) | [Access Information](#) | [Alerts](#) |

Welcome United States Patent and Trademark Office

Search Results

[BROWSE](#)[SEARCH](#)[IEEE XPLORE GUIDE](#)

Results for "((((dynamic <near> range<in>metadata))<and>(transform*<in>metadata)))<...>"



Your search matched 1 of 37 documents.

A maximum of 100 results are displayed, 25 to a page, sorted by Relevance in Descending order.

» Search Options

[View Session History](#)[New Search](#)

Modify Search

((((dynamic <near> range<in>metadata))<and>(transform*<in>metadata)))<and>(q

☐ Check to search only within this results setDisplay Format: ☒ Citation ☐ Citation & Abstract

» Key

IEEE JNL IEEE Journal or Magazine

IEE JNL IEE Journal or Magazine


IEEE CNF IEEE Conference Proceeding

IEE CNF IEE Conference Proceeding

IEEE STD IEEE Standard

[view selected items](#)[Select All](#) [Deselect All](#)

1. Low bit-rate image coding techniques

Thyagarajan, K.; Viswanathan, M.;
[Acoustics, Speech, and Signal Processing, IEEE International Conference on](#)
Volume 12, Apr 1987 Page(s):748 - 751[AbstractPlus](#) | Full Text: [PDF\(304 KB\)](#) IEEE CNF
[Rights and Permissions](#)[Help](#) [Contact Us](#) [Privacy &](#)

© Copyright 2006 IEEE -